

VALLEE

INTERMEDIARY SERIES

4DA36D XRT



Vallée 4DA36D XRT



Like its Vallée counterpart, the 4DA40D XRT, the 4DA36D XRT is the vertical mast lift truck that delivers the highest ground clearance on the market.

Combining robustness, visibility, agility and comfort, the 4DA36D XRT lift truck are specifically built for rough terrain. Better still, XRT stands for “extra rough terrain.”

With a capacity of 36,000 lb. (16 metric tons) at 24 in. (600 mm) load centre, this lift truck is ideal for handling loads on uneven surfaces or in tight spaces.

All models from Vallée’s XRT series can be tailored to your needs.

Some specifications and features

- Four-wheel-drive articulated lift truck
- 36,000 lb. (16 metric tons) capacity at 24 in. (600 mm) load centre.
- Hydraulic power steering
- Full-view cab with overhead window
- Extended cab
- Integrated monitoring system covering the vehicle’s 16 most important functions
- Heavy-duty mast and carriage
- Independent fork positioner
- High-visibility mast

Features Vallée 4DA36D XRT

Cummins QSB 6.7 Tier 4 Engine
Using advanced technology, such as a cooled exhaust gas recirculation (EGR) system and a variable geometry turbocharger (VGT), this engine delivers improved performance and efficiency.

- More power
- Maximum reliability
- Constant nominal torque
- Constant low-end torque
- Reduced fuel consumption
- Increased acceleration response time
- Good cold weather start



Kessler Axles
These heavy-duty axles are specifically designed to perform in extremely tough conditions and with heavy loads. They are exceptionally durable.

Wet-Disk Brakes
The components on these brakes are sealed for safer braking, lower operating

Funk Transmission
The completely assisted gearshift is designed for increased productivity and performance and can be adapted to each load with precision. With six forward speeds and four reverse gears, the time-performance ratio and fuel consumption are totally optimized.

- Increased tractive force
- Optimal motion

Vallée Intermediary XRT Series Options



The truck articulation and mast tilt give the operator superior freedom and flexibility.

EASY MAINTENANCE

We know how essential it is to minimize equipment downtimes and keep them running and producing instead. Which is why we incorporated a full-tilt hood and cab into the design, to render the parts instantly accessible. The result is effective – and measurably shorter – maintenance.



COMFORT

Because this truck is built to put in long hours in rough conditions, we made sure comfort was an integral part of the design. The extended cab provides a roomier work environment. It comes standard with an ergonomic air suspension seat. Also, although the truck is fairly compact overall, we nevertheless conceived the wheelbase long enough to deliver superior stability, and by extension, better comfort.



Features Vallée 4DA36D XRT



Ergonomic Cab

- The cab is wide, long and tall to give the operator more space
- The front and rear window shafts have been removed to eliminate blind spots and increase all-around visibility
- The overhead window allows the operator to see the load as it is being lifted
- A rearview camera with colour screen increases visibility when operating the truck in reverse
- The improved ventilation system features strategically placed air vents to provide the operator with a more comfortable work environment
- The 7-function joystick is more comfortable and precise than hydraulic control levers
- Thanks to the now-standard colour display monitor, the operator can ensure that the vehicle is working properly by monitoring several functional parameters

Hoist Cylinders
The cylinders are now located behind the fixed sections of the forklift to increase operator visibility.



Technical specifications 4DA36D XRT

Specifications	Description	Units	VALLÉE 4DA36D XRT
	Capacity (load/distance)	lb./in. (kg/mm)	36,000/24 (16,330/600)
	Lift height	in. (mm)	180 (4,572)
	Mast tilt angle (F/R)	degrees	15/15
	Overall length	in. (mm)	238 (6,045)
	Wheelbase	in. (mm)	152 (3,860)
	Overall width	in. (mm)	115 (2,921)
	Overall height	in. (mm)	162 (4,115)
	Number of tires (F/R)		2/2
Engine and transmission	Tire size		26,5R25
	Engine (manufacture/model)		Cummins QSB 6.7 Tier 4
	Engine (output)		225
	Transmission (manufacture/type)		Funk (DF 250)
Performance	Number of gears (forward/reverse)		6/4
	Top speed	km/h	35
	Gradeability (laden)	%	20
	Gradeability (unladen)	%	30
	Lifting speed (laden)	ft./s (mm/s)	1.2 (304)

